

Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 11

SDS No.: 153754

V002.1

Revision: 02.05.2023

printing date: 07.05.2023

Replaces version from: 21.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LOCTITE LB 8013 known as 8013, N-7000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Lubricant

1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA

LOCTITE LB 8013 known as 8013, N-7000

Henkelstr. 67

40589 Düsseldorf

Germany

Phone: +49 211 797 0

SDSinfo.Adhesive@henkel.com

For Safety Data Sheet updates please visit our website https://mysds.henkel.com/index.html#/appSelection or www.henkel-adhesives.com.

1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

Skin irritation Category 2

H315 Causes skin irritation.

Serious eye damage Category 1

H318 Causes serious eye damage.

2.2. Label elements

Label elements (CLP):

Hazard pictogram:



Contains Calcium oxide

Signal word: Danger

Hazard statement: H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statement:

Prevention

P280 Wear eye protection/face protection.

Precautionary statement: P302+P352 IF ON SKIN: Wash with plenty of soap and water.

Response P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

None if used properly.

Following substances are present in a concentration ≥ the concentration limit for depiction in Section 3 and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in a concentration \geq the concentration limit for depiction in Section 3 that are assessed to be a PBT, vPvB or ED.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Declaration of the ingredients according to CLP (EC) No 1272/2008:

| Hazardous compone CAS-No. EC Number REACH-Reg No. | | Concentration | Classification | Specific Conc. Limits, M- factors and ATEs | Add. Information |
|---|---|---------------|--|---|---------------------|
| Calcium oxide 1305-78-8 215-138-9 01-2119475325-36 | 5 | 10- 20 % | Skin Irrit. 2, Dermal, H315 Eye Dam. 1, H318 STOT SE 3, Inhalation, H335 | | EU OEL |

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Move to fresh air. If symptoms persist, seek medical advice.

Skin contact:

Rinse with running water and soap.

Obtain medical attention if irritation persists.

Eye contact:

Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

Ingestion:

Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

SKIN: Redness, inflammation.

After eye contact: Corrosive, may cause permanent damage to eyes (impairment of vision).

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

water, carbon dioxide, foam, powder

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon monoxide (CO), carbon dioxide (CO2) and nitrogen oxides (NOx) can be released.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Additional information:

In case of fire, keep containers cool with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Wear protective equipment.

Ensure adequate ventilation.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Dispose of contaminated material as waste according to Section 13.

For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for disposal.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid skin and eye contact.

See advice in section 8

Hygiene measures:

Good industrial hygiene practices should be observed.

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

7.2. Conditions for safe storage, including any incompatibilities

Refer to Technical Data Sheet

7.3. Specific end use(s)

Lubricant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Valid for Germany

| Ingredient [Regulated substance] | ppm | mg/m ³ | Value type | Short term exposure limit category / Remarks | Regulatory list |
|--|-----|-------------------|--|--|-----------------|
| Calcium oxide 1305-78-8 | | 1 | Exposure limit(s): | If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7). | TRGS 900 |
| Calcium oxide 1305-78-8 | | | Short Term Exposure Classification: | Category I: substances for which the localized effect has an assigned OEL or for substances with a sensitizing effect in respiratory passages. | TRGS 900 |
| Calcium oxide 1305-78-8 [CALCIUM OXIDE (RESPIRABLE FRACTION)] | | 1 | Time Weighted Average (TWA): | Indicative | ECTLV |
| Calcium oxide 1305-78-8 [CALCIUM OXIDE (RESPIRABLE FRACTION)] | | 4 | Short Term Exposure Limit (STEL): | Indicative | ECTLV |
| Graphite 7782-42-5 | | | Short Term Exposure Classification: | Category II: substances with a resorptive effect. | TRGS 900 |
| Graphite 7782-42-5 | | 1,25 | Exposure limit(s): | If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7). | TRGS 900 |
| Graphite 7782-42-5 | | 10 | Exposure limit(s): | If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7). | TRGS 900 |

Predicted No-Effect Concentration (PNEC):

| Name on list | Environmental Compartment | Exposure period | Value | | Remarks | | |
|----------------------------|------------------------------------|-----------------|-----------|-----|----------------|--------|----------------------------------|
| | Compartment | periou | mg/l | ppm | mg/kg | others | |
| Calcium oxide 1305-78-8 | aqua (freshwater) | | 0,37 mg/l | | | | |
| Calcium oxide 1305-78-8 | aqua (marine water) | | 0,24 mg/l | | | | |
| Calcium oxide 1305-78-8 | aqua (intermittent releases) | | 0,37 mg/l | | | | |
| Calcium oxide 1305-78-8 | sewage treatment plant (STP) | | 2,27 mg/l | | | | |
| Calcium oxide 1305-78-8 | Soil | | | | 817,4 mg/kg | | |
| Calcium oxide 1305-78-8 | sediment (freshwater) | | | | | | |
| Calcium oxide 1305-78-8 | sediment (marine water) | | | | | | |
| Calcium oxide 1305-78-8 | Air | | | | | | no hazard identified |
| Calcium oxide 1305-78-8 | Predator | | | | | | no potential for bioaccumulation |

Derived No-Effect Level (DNEL):

| Name on list | Application Area | Route of Exposure | Health Effect | Exposure Time | Value | Remarks |
|----------------------------|-----------------------|----------------------|---|------------------|---------|----------------------|
| Calcium oxide 1305-78-8 | Workers | inhalation | Long term exposure - local effects | Time | 1 mg/m3 | no hazard identified |
| Calcium oxide 1305-78-8 | Workers | inhalation | Acute/short term exposure - local effects | | 4 mg/m3 | no hazard identified |
| Calcium oxide 1305-78-8 | General population | inhalation | Long term exposure - local effects | | 1 mg/m3 | no hazard identified |
| Calcium oxide 1305-78-8 | General population | inhalation | Acute/short term exposure - local effects | | 4 mg/m3 | no hazard identified |

Biological Exposure Indices:

None

8.2. Exposure controls:

Engineering controls:

Ensure good ventilation/extraction.

Respiratory protection:

Ensure adequate ventilation.

An approved mask or respirator fitted with an organic vapour cartridge should be worn if the product is used in a poorly ventilated area

Filter type: A (EN 14387)

Hand protection:

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Safety glasses with sideshields or chemical safety goggles should be worn if there is a risk of splashing. Protective eye equipment should conform to EN166.

Skin protection:

Wear suitable protective clothing.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions. Personal protective equipment should conform to the relevant EN standard.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Delivery form paste
Colour grey
Odor characteristic
Physical state liquid

Melting point Not applicable, Product is a liquid

Initial boiling point Not available.

Flammability Currently under determination Explosive limits Currently under determination

Flash point 218 °C (424.4 °F)

Auto-ignition temperature Currently under determination

Decomposition temperature

Not applicable, Substance/mixture is not self-reactive, no organic peroxide and does not decompose under foreseen conditions of use

Product is non-soluble (in water)., Not applicable

Viscosity (kinematic) Currently under determination

Solubility (qualitative) Insoluble

(20 °C (68 °F); Solvent: Water)

Partition coefficient: n-octanol/water
Not applicable
Mixture
Vapour pressure
Not available.

Vapour pressure Not available.

Density 1,12 - 1,14 g/cm3 None

(20 °C (68 °F))
Relative vapour density:

Not available.

Not available.

Particle characteristics

Not applicable
Product is a liquid

9.2. Other information

pΗ

Other information not applicable for this product

SECTION 10: Stability and reactivity

10.1. Reactivity

None if used properly.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

Stable under normal conditions of storage and use.

10.5. Incompatible materials

None if used properly.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances | Value | Value | Species | Method |
|----------------------|-------|---------------|---------|--|
| CAS-No. | type | | | |
| Calcium oxide | LD50 | > 2.000 mg/kg | rat | OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down |
| 1305-78-8 | | | | Procedure) |

Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances | Value | Value | Species | Method |
|----------------------|-------|---------------|---------|--|
| CAS-No. | type | | | |
| Calcium oxide | LD50 | > 2.500 mg/kg | rabbit | OECD Guideline 402 (Acute Dermal Toxicity) |
| 1305-78-8 | | | | |

Acute inhalative toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances | Value | Value | Test atmosphere | Exposure | Species | Method |
|----------------------|-------|-------------|-----------------|----------|---------|--|
| CAS-No. | type | | | time | | |
| Calcium oxide | LC50 | > 6,04 mg/l | dust/mist | 4 h | rat | OECD Guideline 436 (Acute |
| 1305-78-8 | | | | | | Inhalation Toxicity: Acute Toxic Class (ATC) Method) |

Skin corrosion/irritation:

No data available.

Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances | Result | Exposure | Species | Method |
|----------------------------|---|----------|---------|---|
| CAS-No. | | time | | |
| Calcium oxide 1305-78-8 | Category 1 (irreversible effects on the eye) | | rabbit | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |

Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Test type | Species | Method |
|---------------------------------|-----------------|-----------------------|---------|---|
| CAS-No. | | | | |
| Calcium oxide | not sensitising | Mouse local lymphnode | mouse | OECD Guideline 429 (Skin Sensitisation: |
| 1305-78-8 | | assay (LLNA) | | Local Lymph Node Assay) |

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Type of study / Route of administration | Metabolic activation / Exposure time | Species | Method |
|------------------------------|----------|---|--|---------|-----------------------------|
| Calcium oxide | negative | bacterial reverse | with and without | | OECD Guideline 471 |
| 1305-78-8 | | mutation assay (e.g | | | (Bacterial Reverse Mutation |
| | | Ames test) | | | Assay) |

Carcinogenicity

No data available.

Reproductive toxicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances | Result / Value | Test type | Route of | Species | Method |
|----------------------|-----------------------|-----------|--------------|---------|-------------------------|
| CAS-No. | | | application | | |
| Calcium oxide | NOAEL P > 1.000 mg/kg | | oral: gavage | rat | OECD Guideline 422 |
| 1305-78-8 | | | | | (Combined Repeated Dose |
| | | | | | Toxicity Study with the |
| | | | | | Reproduction / |
| | | | | | Developmental Toxicity |
| | | | | | Screening Test) |

STOT-single exposure:

No data available.

STOT-repeated exposure:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances | Result / Value | Route of | Exposure time / | Species | Method |
|----------------------|-------------------|--------------|----------------------|---------|--------------------------|
| CAS-No. | | application | Frequency of | | |
| | | | treatment | | |
| Calcium oxide | NOAEL 1.000 mg/kg | oral: gavage | up to 48 consecutive | rat | OECD Guideline 422 |
| 1305-78-8 | | | days | | (Combined Repeated |
| | | | daily | | Dose Toxicity Study with |
| | | | | | the Reproduction / |
| | | | | | Developmental Toxicity |
| | | | | | Screening Test) |

Aspiration hazard:

No data available.

11.2 Information on other hazards

not applicable

SECTION 12: Ecological information

General ecological information:

Do not empty into drains / surface water / ground water.

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Exposure time | Species | Method |
|---------------------------------|---------------|-----------|---------------|---------|---|
| Calcium oxide 1305-78-8 | LC50 | 50,6 mg/l | 96 h | | OECD Guideline 203 (Fish, Acute Toxicity Test) |

Toxicity (aquatic invertebrates):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | Value | Value | Exposure time | Species | Method |
|----------------------|-------|-----------|---------------|---------------|----------------------|
| CAS-No. | type | | | | |
| Calcium oxide | EC50 | 49,1 mg/l | 48 h | Daphnia magna | OECD Guideline 202 |
| 1305-78-8 | | | | | (Daphnia sp. Acute |
| | | | | | Immobilisation Test) |

Chronic toxicity (aquatic invertebrates):

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Exposure time | Species | Method |
|---------------------------------|---------------|---------|---------------|-----------------------|----------------------|
| Calcium oxide | NOEC | 32 mg/l | 14 d | Crangon septemspinosa | OECD Guideline 202 |
| 1305-78-8 | | | | | (Daphnia sp. Chronic |
| | | | | | Immobilisation Test) |

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | Value | Value | Exposure time | Species | Method |
|----------------------|-------|-------------|---------------|---------------------------------|---------------------------|
| CAS-No. | type | | | | |
| Calcium oxide | EC50 | 184,57 mg/l | 72 h | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, |
| 1305-78-8 | | | | _ | Growth Inhibition Test) |
| Calcium oxide | NOEC | 48 mg/l | 72 h | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, |
| 1305-78-8 | | | | _ | Growth Inhibition Test) |

Toxicity (microorganisms):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | Value | Value | Exposure time | Species | Method |
|----------------------|-------|------------|---------------|-------------------------------|------------------------------|
| CAS-No. | type | | | | |
| Calcium oxide | EC20 | 229,2 mg/l | 3 h | activated sludge of a | OECD Guideline 209 |
| 1305-78-8 | | | | predominantly domestic sewage | (Activated Sludge, |
| | | | | | Respiration Inhibition Test) |

12.2. Persistence and degradability

No substance data available.

No data available.

12.3. Bioaccumulative potential

No substance data available. No data available.

12.4. Mobility in soil

No substance data available.

No data available.

12.5. Results of PBT and vPvB assessment

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | PBT / vPvB |
|----------------------|--|
| CAS-No. | |
| Calcium oxide | According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not |
| 1305-78-8 | be conducted for inorganic substances. |

12.6. Endocrine disrupting properties

not applicable

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Do not empty into drains / surface water / ground water.

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

Waste code

14 06 03 Other solvents and solvent mixtures

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We will be happy to advise you.

SECTION 14: Transport information

14.1. UN number or ID number

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.2. UN proper shipping name

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.3. Transport hazard class(es)

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.4. Packing group

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.5. Environmental hazards

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.6. Special precautions for user

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ozone Depleting Substance (ODS) (Regulation (EC) No 1005/2009): Prior Informed Consent (PIC) (Regulation (EU) No 649/2012): Persistent organic pollutants (Regulation (EU) 2019/1021):

Not applicable Not applicable Not applicable

VOC content (2010/75/EC)

itent < :

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

National regulations/information (Germany):

WGK: WGK 1: slightly hazardous to water (Ordinance on facilities for handling

substances that are hazardous to water (AwSV)) Classification according to AwSV, Annex 1 (5.2)

Storage class according to TRGS 510: 10

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

ED: Substance identified as having endocrine disrupting properties

EU OEL: Substance with a Union workplace exposure limit
EU EXPLD 1: Substance listed in Annex I, Reg (EC) No. 2019/1148
EU EXPLD 2 Substance listed in Annex II, Reg (EC) No. 2019/1148
SVHC: Substance of very high concern (REACH Candidate List)
PBT: Substance fulfilling persistent, bioaccumulative and toxic criteria

PBT/vPvB: Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very

bioaccumulative criteria

vPvB: Substance fulfilling very persistent and very bioaccumulative criteria

Further information:

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (SDSinfo.Adhesive@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your_company.com).

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.