

Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 16

SDS No.: 48754

V006.1 Revision: 05.05.2022

printing date: 08.04.2023

Replaces version from: 04.11.2020

BONDERITE C-IC SMUTGO NCB AERO known as TURCO Liquid Smut Go NC-B

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BONDERITE C-IC SMUTGO NCB AERO known as TURCO Liquid Smut Go NC-B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Etching Agents for Metals

1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA

Henkelstr. 67

40589 Düsseldorf

Germany

Phone: +49 211 797 0

ua-productsafety.de@henkel.com

For Safety Data Sheet updates please visit our website https://mysds.henkel.com/index.html#/appSelection or www.henkel-adhesives.com.

1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

Corrosive to metals Category 1

H290 May be corrosive to metals.

Acute toxicity Category 4

H302 Harmful if swallowed. Route of Exposure: Oral

Acute toxicity Category 3

H311 Toxic in contact with skin. Route of Exposure: Dermal

Acute toxicity Category 4

H332 Harmful if inhaled. Route of Exposure: Inhalation

Skin corrosion Category 1A

H314 Causes severe skin burns and eye damage.

Serious eye damage Category 1

H318 Causes serious eye damage.

2.2. Label elements

SDS No.: 48754 V006.1

Label elements (CLP):

Hazard pictogram:



Contains Nitric acid

hydrofluoric acid

Signal word: Danger

Hazard statement: H290 May be corrosive to metals.

H302 Harmful if swallowed. H311 Toxic in contact with skin. H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

Supplemental information EUH071 Corrosive to the respiratory tract.

Can attack glass and vitreous materials.

Precautionary statement: P260 Do not breathe mist/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection. Prevention

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/... if you feel unwell. **Precautionary statement:**

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor.

2.3. Other hazards

Response

None if used properly.

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

Following substances are present in a concentration >= 0,1% and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in concentration ≥ the concentration limit that are assessed to be a PBT, vPvB or ED.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Declaration of the ingredients according to CLP (EC) No 1272/2008:

| Hazardous components CAS-No. EC Number REACH-Reg No. | Concentration | Classification | Specific Conc. Limits, M- factors and ATEs | Add. Information |
|--|---------------|---|--|---------------------|
| diiron tris(sulphate) 10028-22-5 233-072-9 01-2119513202-59 | 20- < 25 % | Acute Tox. 4, Oral, H302 Skin Irrit. 2, H315 Met. Corr. 1, H290 Eye Dam. 1, H318 | | |
| Nitric acid 7697-37-2 231-714-2 01-2119487297-23 | 20- < 25 % | Met. Corr. 1, H290 Ox. Liq. 3, H272 Skin Corr. 1A, H314 Acute Tox. 3, Inhalation, H331 | Skin Corr. 1B; H314; C 5 - < 20 % Skin Corr. 1A; H314; C >= 20 % Ox. Liq. 3; H272; C >= 65 % ===== inhalation:ATE = 2,651 mg/l;vapour | EU OEL EUEXPL1D |
| Potassium nitrate 7757-79-1 231-818-8 01-2119488224-35 | 1-< 5 % | Ox. Sol. 3, H272 | | EUEXPL2D |
| hydrofluoric acid 7664-39-3 231-634-8 01-2119458860-33 | 0,1-< 1 % | Acute Tox. 2, Inhalation, H330 Acute Tox. 2, Oral, H300 Acute Tox. 1, Dermal, H310 Skin Corr. 1A, H314 | Skin Corr. 1A; H314; C >= 7 % Eye Irrit. 2; H319; C 0,1 - < 1 % Skin Corr. 1B; H314; C 1 - < 7 % | EU OEL |

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Move to fresh air.

Immediate medical treatment necessary.

Skin contact:

Remove contaminated clothes while protecting yourself. Immediately rinse with copious amounts of running water (for 10 minutes). Then immediately treat contaminated skin with 2,5% Ca-gluconate gel. Put on a bandage with sterile gauze. GET MEDICAL ATTENTION IMMEDIATELY! Can penetrate into deeper parts of the skin and cause burns which are very painful and cure very slowly.

Eye contact:

Immediately flush eyes with soft jet of water or eye rinse solution for at least 15 minutes. Hold eyelid wide-open. Seek a doctor/hospital, eye flushing should continue during transportation to a doctor.

Ingestion

Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting. Immediate medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns.

SKIN: Redness, inflammation.

INGESTION: Nausea, vomiting, diarrhea, abdominal pain.

RESPIRATORY: Irritation, coughing, shortness of breath, chest tightness.

Corrosive to the respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

All common extinguishing agents are suitable.

Extinguishing media which must not be used for safety reasons:

None known

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in fires.

5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

Additional information:

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Remove with liquid-absorbing material (sand, peat, sawdust).

Take up with liquid-absorbing material (sand).

Do not use any organic materials (e.g. sawmill waste).

Dispose of contaminated material as waste according to Section 13.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

When diluting, always stir slowly the product into standing water.

Avoid skin and eye contact.

Ensure that workrooms are adequately ventilated.

See advice in section 8

Hygiene measures:

Do not eat, drink or smoke while working.

Wash hands before work breaks and after finishing work.

Wash contaminated clothing before reuse.

The workplace should be equipped with an emergency shower and eye-rinsing facility.

7.2. Conditions for safe storage, including any incompatibilities

Store frost-free.

Keep container tightly sealed.

Keep only in original container.

Do not store together with highly alkaline products.

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

7.3. Specific end use(s)

Etching Agents for Metals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Valid for Germany

| Ingredient [Regulated substance] | ppm | mg/m ³ | Value type | Short term exposure limit category / Remarks | Regulatory list |
|---|-----|-------------------|--|--|-----------------|
| Nitric acid 7697-37-2 [NITRIC ACID] | 1 | 2,6 | Short Term Exposure Limit (STEL): | Indicative | ECTLV |
| Nitric acid 7697-37-2 | 1 | 2,6 | Exposure limit(s): | | TRGS 900 |
| Hydrogen fluoride 7664-39-3 [HYDROGEN FLUORIDE] | 1,8 | 1,5 | Time Weighted Average (TWA): | Indicative | ECTLV |
| Hydrogen fluoride 7664-39-3 [HYDROGEN FLUORIDE] | 3 | 2,5 | Short Term Exposure Limit (STEL): | Indicative | ECTLV |
| Hydrogen fluoride 7664-39-3 | | | Short Term Exposure Classification: | Category I: substances for which the localized effect has an assigned OEL or for substances with a sensitizing effect in respiratory passages. | TRGS 900 |
| Hydrogen fluoride 7664-39-3 | | | Skin designation: | Can be absorbed through the skin. | TRGS 900 |
| Hydrogen fluoride 7664-39-3 | 1 | 0,83 | Exposure limit(s): | If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7). | TRGS 900 |

Predicted No-Effect Concentration (PNEC):

| Name on list | Environmental Compartment | Exposure period | Value | | | | Remarks |
|-------------------------------------|------------------------------------|-----------------|-----------|-----|------------|--------|---------|
| | | 1 | mg/l | ppm | mg/kg | others | |
| diiron tris(sulphate) 10028-22-5 | sewage treatment plant (STP) | | 500 mg/l | | | | |
| diiron tris(sulphate) 10028-22-5 | sediment (freshwater) | | | | 49,5 mg/kg | | |
| diiron tris(sulphate) 10028-22-5 | sediment (marine water) | | | | 49,5 mg/kg | | |
| diiron tris(sulphate) 10028-22-5 | Soil | | | | 55,5 mg/kg | | |
| Potassium nitrate 7757-79-1 | aqua (freshwater) | | 0,45 mg/l | | | | |
| Potassium nitrate 7757-79-1 | aqua (intermittent releases) | | 4,5 mg/l | | | | |
| Potassium nitrate 7757-79-1 | aqua (marine water) | | 0,04 mg/l | | | | |
| Potassium nitrate 7757-79-1 | sewage treatment plant (STP) | | 18 mg/l | | | | |
| hydrogen fluoride 7664-39-3 | aqua (freshwater) | | 0,9 mg/l | | | | |
| hydrogen fluoride 7664-39-3 | aqua (marine water) | | 0,9 mg/l | | | | |
| hydrogen fluoride 7664-39-3 | Soil | | | | 11 mg/kg | | |
| hydrogen fluoride 7664-39-3 | sewage treatment plant (STP) | | 51 mg/l | | | | |

Derived No-Effect Level (DNEL):

| Name on list | Application Area | Route of Exposure | Health Effect | Exposure Time | Value | Remarks |
|-------------------------------------|-----------------------|----------------------|--|------------------|------------|---------|
| diiron tris(sulphate) 10028-22-5 | Workers | dermal | Long term exposure - systemic effects | | 2,8 mg/kg | |
| diiron tris(sulphate) 10028-22-5 | General population | dermal | Long term exposure - systemic effects | | 1,4 mg/kg | |
| diiron tris(sulphate) 10028-22-5 | General population | oral | Long term exposure - systemic effects | | 0,28 mg/kg | |
| diiron tris(sulphate) 10028-22-5 | General population | oral | Acute/short term exposure - systemic effects | | 20 mg/kg | |
| nitric acid 7697-37-2 | Workers | Inhalation | Acute/short term exposure - local effects | | 2,6 mg/m3 | |
| nitric acid 7697-37-2 | Workers | Inhalation | Long term exposure - local effects | | 2,6 mg/m3 | |
| nitric acid 7697-37-2 | General population | Inhalation | Acute/short term exposure - local effects | | 1,3 mg/m3 | |
| nitric acid 7697-37-2 | General population | Inhalation | Long term exposure - local effects | | 1,3 mg/m3 | |
| Potassium nitrate 7757-79-1 | General population | dermal | Long term exposure - systemic effects | | 12,5 mg/kg | |
| Potassium nitrate 7757-79-1 | General population | inhalation | Long term exposure - systemic effects | | 10,9 mg/m3 | |
| Potassium nitrate 7757-79-1 | General population | oral | Long term exposure - systemic effects | | 12,5 mg/kg | |
| Potassium nitrate 7757-79-1 | Workers | dermal | Long term exposure - systemic effects | | 20,8 mg/kg | |
| Potassium nitrate 7757-79-1 | Workers | inhalation | Long term exposure - systemic effects | | 36,7 mg/m3 | |
| hydrogen fluoride 7664-39-3 | Workers | Inhalation | Acute/short term exposure - local effects | | 2,5 mg/m3 | |
| hydrogen fluoride 7664-39-3 | Workers | Inhalation | Acute/short term exposure - systemic effects | | 2,5 mg/m3 | |
| hydrogen fluoride 7664-39-3 | Workers | Inhalation | Long term exposure - local effects | | 1,5 μg/m³ | |
| hydrogen fluoride 7664-39-3 | Workers | Inhalation | Long term exposure - systemic effects | | 1,5 mg/m3 | |
| hydrogen fluoride 7664-39-3 | General population | Inhalation | Acute/short term exposure - systemic effects | | 0,03 mg/m3 | |
| hydrogen fluoride 7664-39-3 | General population | oral | Acute/short term exposure - systemic effects | | 0,01 mg/kg | |
| hydrogen fluoride 7664-39-3 | General population | Inhalation | Acute/short term exposure - local effects | | 1,25 mg/m3 | |
| hydrogen fluoride 7664-39-3 | General population | Inhalation | Long term exposure - systemic effects | | 0,03 mg/m3 | |
| hydrogen fluoride 7664-39-3 | General population | oral | Long term exposure - systemic effects | | 0,01 mg/kg | |
| hydrogen fluoride 7664-39-3 | General population | inhalation | Long term exposure - local effects | | 0,2 mg/m3 | |

Smut Go NC-B

Biological Exposure Indices:

| Ingredient [Regulated | Parameters | Biological | Sampling time | Conc. | Basis of biol. | Additional |
|-----------------------|------------|------------|-----------------------|----------|----------------|----------------|
| substance] | | specimen | | | exposure index | Information |
| Hydrogen fluoride | Fluoride | Urine | Sampling time: End of | 4,0 mg/l | DE BGW | |
| 7664-39-3 | | | shift. | | | |
| [Hydrogen fluoride] | | | | | | |

8.2. Exposure controls:

Engineering controls:

Ensure good ventilation/suction at the workplace.

Respiratory protection:

In case of aerosol formation, we recommend wearing of appropriate respiratory protection equipment with ABEK P2 filter (EN 14387).

This recommendation should be matched to local conditions.

Hand protection:

Chemical-resistant protective gloves (EN 374). Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): Polychloroprene (CR; >= 1 mm thickness) or natural rubber (NR; >= 1 mm thickness) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Polychloroprene (CR; >= 1 mm thickness) or natural rubber (NR; >= 1 mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

For eye protection, use tightly fitted safety goggles and a face-shield

Protective eye equipment should conform to EN166.

Skin protection:

Protective clothing that covers arms and legs.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions. Personal protective equipment should conform to the relevant EN standard.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid Delivery form liquid

Colour yellowish, up to,

brownish

Odor Odorless Solidification temperature < 0 °C (< 32 °F)

Initial boiling point 100 - 200 °C (212 - 392 °F) no method Flammability The product is not flammable.

Explosive limits Not applicable, The product is not flammable.

Flash point > 93 °C (> 199.4 °F)

Auto-ignition temperature Not applicable, The product is not flammable.

Decomposition temperature Not applicable, Substance/mixture is not self-reactive, no

organic peroxide and does not decompose under foreseen

conditions of use

pH < 1

(20 °C (68 °F); Conc.: 100 %; Solvent:

Water)

Viscosity (kinematic) 1 - 10 mm2/s

(20 °C (68 °F);)

Solubility (qualitative) Miscible

(20 °C (68 °F); Solvent: Water)

Vapour pressure 123 mbar;no method

(50 °C (122 °F))

Vapour pressure < 23 hPa

(20 °C (68 °F))

Density 1,40 - 1,43 g/cm3 density, hydrometer

(20 °C (68 °F))

Relative vapour density: > 1

(20 °C)

9.2. Other information

Other information not applicable for this product

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with alkalis: nitrous gases.

Can attack glass and vitreous materials.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

No decomposition if used according to specifications.

10.5. Incompatible materials

See section reactivity.

10.6. Hazardous decomposition products

None if used for intended purpose.

In case of fire toxic gases can be released.

SECTION 11: Toxicological information

1.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Species | Method |
|-------------------------------------|---------------|---------------|---------|---|
| diiron tris(sulphate) 10028-22-5 | LD50 | 500 mg/kg | rat | OECD Guideline 423 (Acute Oral toxicity) |
| Potassium nitrate 7757-79-1 | LD50 | > 2.000 mg/kg | rat | OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure) |

Acute dermal toxicity:

Can penetrate into deeper parts of the skin and cause severe burns which are very painful and cure very slowly.

| Hazardous substances | Value | Value | Species | Method |
|-------------------------------------|-------|---------------|---------|--|
| CAS-No. | type | | | |
| diiron tris(sulphate) 10028-22-5 | LD50 | > 2.000 mg/kg | rat | OECD Guideline 402 (Acute Dermal Toxicity) |
| Potassium nitrate 7757-79-1 | LD50 | > 5.000 mg/kg | rat | OECD Guideline 402 (Acute Dermal Toxicity) |

Acute inhalative toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances | Value | Value | Test atmosphere | Exposure | Species | Method |
|----------------------|----------|-------------|-----------------|----------|---------|---------------------------|
| CAS-No. | type | | | time | | |
| Nitric acid | LC50 | > 2,65 mg/l | vapour | 4 h | rat | OECD Guideline 403 (Acute |
| 7697-37-2 | | | • | | | Inhalation Toxicity) |
| Nitric acid | Acute | 2,651 mg/l | vapour | 4 h | | Expert judgement |
| 7697-37-2 | toxicity | | • | | | |
| | estimate | | | | | |
| | (ATE) | | | | | |

Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Exposure time | Species | Method |
|-------------------------------------|-----------------------|---------------|---------|--|
| diiron tris(sulphate) 10028-22-5 | Category 2 (irritant) | 4 h | rabbit | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |
| Nitric acid 7697-37-2 | corrosive | | | not specified |
| Potassium nitrate 7757-79-1 | not irritating | 4 h | rabbit | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |
| hydrofluoric acid 7664-39-3 | corrosive | 4 h | rabbit | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |

Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Exposure time | Species | Method |
|-------------------------------------|---|---------------|---------|---|
| diiron tris(sulphate) 10028-22-5 | Category 1 (irreversible effects on the eye) | | rabbit | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |
| Nitric acid 7697-37-2 | corrosive | | | not specified |
| Potassium nitrate 7757-79-1 | not irritating | | rabbit | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |

Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances | Result | Test type | Species | Method |
|-----------------------|-----------------|-----------------------|---------|---|
| CAS-No. | | | | |
| diiron tris(sulphate) | not sensitising | Mouse local lymphnode | mouse | OECD Guideline 429 (Skin Sensitisation: |
| 10028-22-5 | | assay (LLNA) | | Local Lymph Node Assay) |
| Potassium nitrate | not sensitising | Mouse local lymphnode | mouse | OECD Guideline 429 (Skin Sensitisation: |
| 7757-79-1 | _ | assay (LLNA) | | Local Lymph Node Assay) |

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Type of study / Route of administration | Metabolic activation / Exposure time | Species | Method |
|-------------------------------------|----------|--|--|---------|--|
| diiron tris(sulphate) 10028-22-5 | negative | bacterial reverse mutation assay (e.g Ames test) | with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| diiron tris(sulphate) 10028-22-5 | negative | in vitro mammalian cell micronucleus test | with and without | | OECD Guideline 487 (In vitro Mammalian Cell Micronucleus Test) |
| Nitric acid 7697-37-2 | negative | bacterial reverse mutation assay (e.g Ames test) | with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| Nitric acid 7697-37-2 | negative | in vitro mammalian chromosome aberration test | with and without | | OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) |
| Nitric acid 7697-37-2 | negative | mammalian cell gene mutation assay | with and without | | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) |
| Potassium nitrate 7757-79-1 | negative | bacterial reverse mutation assay (e.g Ames test) | with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| Potassium nitrate 7757-79-1 | negative | in vitro mammalian chromosome aberration test | without | | Chromosome Aberration Test |
| Potassium nitrate 7757-79-1 | negative | mammalian cell gene mutation assay | with and without | | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) |
| hydrofluoric acid 7664-39-3 | negative | bacterial reverse mutation assay (e.g Ames test) | with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| diiron tris(sulphate) 10028-22-5 | negative | intraperitoneal | | mouse | OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test) |

Carcinogenicity

No data available.

Reproductive toxicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result / Value | Test type | Route of application | Species | Method |
|------------------------------|----------------------------------|-----------|----------------------|---------|-------------------------|
| diiron tris(sulphate) | NOAEL P $>= 500 \text{ mg/kg}$ | | oral: gavage | rat | OECD Guideline 422 |
| 10028-22-5 | | | | | (Combined Repeated Dose |
| | NOAEL F1 $>= 500 \text{ mg/kg}$ | | | | Toxicity Study with the |
| | | | | | Reproduction / |
| | | | | | Developmental Toxicity |
| | | | | | Screening Test) |
| Nitric acid | NOAEL $P >= 1.500 \text{ mg/kg}$ | screening | oral: gavage | rat | OECD Guideline 422 |
| 7697-37-2 | | | | | (Combined Repeated Dose |
| | | | | | Toxicity Study with the |
| | | | | | Reproduction / |
| | | | | | Developmental Toxicity |
| | | | | | Screening Test) |
| Potassium nitrate | NOAEL $P >= 1.500 \text{ mg/kg}$ | screening | oral: gavage | rat | OECD Guideline 422 |
| 7757-79-1 | | | | | (Combined Repeated Dose |
| | | | | | Toxicity Study with the |
| | | | | | Reproduction / |
| | | | | | Developmental Toxicity |
| | | | | | Screening Test) |

STOT-single exposure:

No data available.

STOT-repeated exposure::

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result / Value | Route of application | Exposure time / Frequency of treatment | Species | Method |
|-------------------------------------|-------------------------|----------------------|--|---------|---|
| diiron tris(sulphate) 10028-22-5 | NOAEL 125 mg/kg | oral: gavage | once daily | rat | OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| diiron tris(sulphate) 10028-22-5 | NOAEL 250 mg/kg | oral: gavage | once daily | rat | OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| Nitric acid 7697-37-2 | NOAEL 1.500 mg/kg | oral: gavage | 28 d daily | rat | OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| Potassium nitrate 7757-79-1 | NOAEL >= 1.500 mg/kg | oral: gavage | 28 d daily | rat | OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| hydrofluoric acid 7664-39-3 | NOAEL 0.88 ppm | inhalation: gas | 91 d (65 exposures) 6 h/d, 5 days/week | rat | equivalent or similar to OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day) |

Aspiration hazard:

No data available.

11.2 Information on other hazards

not applicable

SECTION 12: Ecological information

General ecological information:

Do not empty into drains / surface water / ground water.

Locally harmful for aquatic and landliving organisms because of low pH and corrosive properties.

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Exposure time | Species | Method |
|-------------------------------------|---------------|------------|---------------|--|---|
| diiron tris(sulphate) 10028-22-5 | LC50 | 2,9 mg/l | 96 h | Oncorhynchus mykiss | not specified |
| Nitric acid 7697-37-2 | LC50 | 12,5 mg/l | 96 h | Salmo gairdneri (new name: Oncorhynchus mykiss) | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| Potassium nitrate 7757-79-1 | LC50 | 1.378 mg/l | 96 h | Poecilia reticulata | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| hydrofluoric acid 7664-39-3 | LC50 | 107,5 mg/l | 96 h | not specified | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| hydrofluoric acid 7664-39-3 | NOEC | 4 mg/l | 21 d | Oncorhynchus mykiss | other guideline: |

Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Exposure time | Species | Method |
|---------------------------------|---------------|----------|---------------|--------------------|--|
| Nitric acid 7697-37-2 | EC50 | 4,6 mg/l | 48 h | Ceriodaphnia dubia | other guideline: |
| Potassium nitrate 7757-79-1 | EC50 | 490 mg/l | 48 h | Daphnia magna | other guideline: |
| hydrofluoric acid 7664-39-3 | EC50 | 270 mg/l | 48 h | Daphnia sp. | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |

Chronic toxicity to aquatic invertebrates

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances | Value | Value | Exposure time | Species | Method |
|----------------------|-------|----------|---------------|---------------|------------------|
| CAS-No. | type | | | | |
| hydrofluoric acid | NOEC | 3,7 mg/l | 21 d | Daphnia magna | other guideline: |
| 7664-39-3 | | | | | |

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances | Value | Value | Exposure time | Species | Method |
|----------------------|-------|--------------|---------------|------------------------------|---------------------------|
| CAS-No. | type | | | | |
| hydrofluoric acid | EC10 | 650 mg/l | 72 h | Scenedesmus subspicatus (new | OECD Guideline 201 (Alga, |
| 7664-39-3 | | | | name: Desmodesmus | Growth Inhibition Test) |
| | | | | subspicatus) | |
| hydrofluoric acid | EC50 | > 1.000 mg/l | 72 h | Scenedesmus subspicatus (new | OECD Guideline 201 (Alga, |
| 7664-39-3 | | | | name: Desmodesmus | Growth Inhibition Test) |
| | | | | subspicatus) | |

Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances | Value | Value | Exposure time | Species | Method |
|-------------------------------------|-------|--------------|---------------|------------------|--|
| CAS-No. | type | | | | |
| diiron tris(sulphate) 10028-22-5 | EC10 | 10.000 mg/l | | | not specified |
| Nitric acid 7697-37-2 | EC50 | > 1.000 mg/l | 3 h | activated sludge | OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test) |
| Potassium nitrate 7757-79-1 | EC 50 | 5.000 mg/l | 30 min | | not specified |
| hydrofluoric acid 7664-39-3 | EC10 | 231 mg/l | 16 h | not specified | DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm- Test) |

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

| Hazardous substances CAS-No. | PBT / vPvB |
|-------------------------------------|---|
| diiron tris(sulphate) 10028-22-5 | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |
| Nitric acid 7697-37-2 | According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not be conducted for inorganic substances. |
| Potassium nitrate 7757-79-1 | According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not be conducted for inorganic substances. |
| hydrofluoric acid 7664-39-3 | According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not be conducted for inorganic substances. |

12.6. Endocrine disrupting properties

not applicable

12.7. Other adverse effects

If acidic or alkaline products are discharged into wastewater installations care must be taken that the discharged wastewater has a pH in the range pH 6 - 10, as pH variations could cause disorders in wastewater channels and biological sewage treatment plants. The local discharge regulations take precedence.

waste water: harmful effect due to low pH-value and toxic fluoride component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

In consultation with the responsible local authority, must be subjected to special treatment.

Waste code

EWC/EAK 070608

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We will be happy to advise you.

SECTION 14: Transport information

14.1. UN number

| ADR | 3264 |
|------|------|
| RID | 3264 |
| ADN | 3264 |
| IMDG | 3264 |
| IATA | 3264 |

14.2. UN proper shipping name

| ADR | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid, Hydrofluoric acid) |
|------|--|
| RID | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid, Hydrofluoric acid) |
| ADN | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid, Hydrofluoric acid) |
| IMDG | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid, Hydrofluoric acid) |
| IATA | Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid, Hydrofluoric acid) |

14.3. Transport hazard class(es)

| ADR | 8 |
|------|---|
| RID | 8 |
| ADN | 8 |
| IMDG | 8 |
| ΙΔΤΔ | 8 |

14.4. Packing group

| ADR | П |
|------|----|
| | |
| RID | II |
| ADN | II |
| IMDG | II |
| IATA | II |

14.5. Environmental hazards

| ADR | not applicable |
|------|----------------|
| RID | not applicable |
| ADN | not applicable |
| IMDG | not applicable |
| IATA | not applicable |

14.6. Special precautions for user

ADR not applicable

Smut Go NC-B

Tunnelcode: (E)
RID not applicable
ADN not applicable
IMDG not applicable
IATA not applicable

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ozone Depleting Substance (ODS) (Regulation (EC) No 1005/2009):

Prior Informed Consent (PIC) (Regulation (EU) No 649/2012):

Persistent organic pollutants (Regulation (EU) 2019/1021):

Not applicable

VOC content 0

(2010/75/EU)

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. Please see https://ec.europa.eu/home-affairs/what-we-do/policies/counter-terrorism/protection/implementation-explosives-precursors-legislation_en.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

National regulations/information (Germany):

WGK: WGK 1: slightly hazardous to water (Ordinance on facilities for handling

substances that are hazardous to water (AwSV)) Classification according to AwSV, Annex 1 (5.2)

Storage class according to TRGS 510: 6.1D

General remarks (DE): This product is in scope of the German regulation

"ChemikalienVerbotsVerordnung"

Smut Go NC-B

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text

of all abbreviations indicated by codes in this safety data sheet are as follows:

H272 May intensify fire; oxidizer.

H290 May be corrosive to metals.

H300 Fatal if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

ED: Substance identified as having endocrine disrupting properties

EU OEL:

Substance with a Union workplace exposure limit

EU EXPLD 1:

Substance listed in Annex I, Reg (EC) No. 2019/1148

EU EXPLD 2

Substance listed in Annex II, Reg (EC) No. 2019/1148

SVHC:

Substance of very high concern (REACH Candidate List)

PBT:

Substance fulfilling persistent, bioaccumulative and toxic criteria

PBT/vPvB: Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very

bioaccumulative criteria

vPvB: Substance fulfilling very persistent and very bioaccumulative criteria

Further information:

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (ua-productsafety.de@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your_company.com).

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.