

Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 16

SDS No.: 48753

V012.0 Revision: 11.04.2022

printing date: 12.05.2023

Replaces version from: 04.11.2020

BONDERITE C-IC SMUTGO NC AERO known as TURCO Liquid Smut Go NC

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BONDERITE C-IC SMUTGO NC AERO known as TURCO Liquid Smut Go NC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Etching Agents for Metals

1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA

Henkelstr. 67

40589 Düsseldorf

Germany

Phone: +49 211 797 0

ua-productsafety.de@henkel.com

For Safety Data Sheet updates please visit our website https://mysds.henkel.com/index.html#/appSelection or www.henkel-adhesives.com.

1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

Corrosive to metals Category 1

H290 May be corrosive to metals.

Acute toxicity Category 4

H302 Harmful if swallowed. Route of Exposure: Oral

Acute toxicity Category 3

H311 Toxic in contact with skin. Route of Exposure: Dermal

Skin corrosion Category 1B

H314 Causes severe skin burns and eye damage.

Serious eye damage Category 1

H318 Causes serious eye damage.

2.2. Label elements

Label elements (CLP):

Hazard pictogram:



Contains diiron tris(sulphate)

Nitric acid

hydrofluoric acid

Signal word: Danger

Hazard statement: H290 May be corrosive to metals.

H302 Harmful if swallowed. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

Supplemental information Can attack glass and vitreous materials.

Precautionary statement: P260 Do not breathe mist/spray.

Prevention P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement: P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/... if you feel unwell.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor.

2.3. Other hazards

Response

None if used properly.

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

Following substances are present in a concentration >= 0.1% and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in concentration ≥ the concentration limit that are assessed to be a PBT, vPvB or ED.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Base substances of preparation:

inorganic acids inorganic salts

Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components CAS-No. EC Number	Concentration	Classification	Specific Conc. Limits, M- factors and ATEs	Add. Information
REACH-Reg No.				
diiron tris(sulphate) 10028-22-5 233-072-9 01-2119513202-59	20- 40 %	Acute Tox. 4, Oral, H302 Skin Irrit. 2, H315 Met. Corr. 1, H290 Eye Dam. 1, H318		
Nitric acid 7697-37-2 231-714-2 01-2119487297-23	5- < 10 %	Met. Corr. 1, H290 Ox. Liq. 3, H272 Skin Corr. 1A, H314 Acute Tox. 3, Inhalation, H331	Skin Corr. 1B; H314; C 5 - < 20 % Skin Corr. 1A; H314; C >= 20 % Ox. Liq. 3; H272; C >= 65 % ===== inhalation:ATE = 2,651 mg/l;vapour	EU OEL EUEXPL1D
hydrofluoric acid 7664-39-3 231-634-8 01-2119458860-33	0,1-< 1 %	Acute Tox. 2, Inhalation, H330 Acute Tox. 2, Oral, H300 Acute Tox. 1, Dermal, H310 Skin Corr. 1A, H314	Skin Corr. 1A; H314; C >= 7 % Eye Irrit. 2; H319; C 0,1 - < 1 % Skin Corr. 1B; H314; C 1 - < 7 %	EU OEL

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available. Declaration of ingredients according to Detergent Regulation 648/2004/EC

The preparation does not contain any ingredients to be labelled according to this regulation.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Move to fresh air.

Immediate medical treatment necessary.

Skin contact:

Remove contaminated clothes while protecting yourself. Immediately rinse with copious amounts of running water (for 10 minutes). Then immediately treat contaminated skin with 2,5% Ca-gluconate gel. Put on a bandage with sterile gauze. GET MEDICAL ATTENTION IMMEDIATELY! Can penetrate into deeper parts of the skin and cause burns which are very painful and cure very slowly.

Eye contact:

Immediately flush eyes with soft jet of water or eye rinse solution for at least 15 minutes. Hold eyelid wide-open. Seek a doctor/hospital, eye flushing should continue during transportation to a doctor.

Ingestion:

Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting. Immediate medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns.

INGESTION: Nausea, vomiting, diarrhea, abdominal pain.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

All common extinguishing agents are suitable.

Extinguishing media which must not be used for safety reasons:

None known

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in fires. Caution: effect of nitrous gases is realized often after hours.

5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

Additional information:

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Neutralize with acid-binding material (e.g. powdered limestone).

Take up with liquid-absorbing material (sand).

Dispose of contaminated material as waste according to Section 13.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

When diluting, always stir slowly the product into standing water.

Avoid skin and eye contact.

Ensure that workrooms are adequately ventilated.

See advice in section 8

Hygiene measures:

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

The workplace should be equipped with an emergency shower and eye-rinsing facility.

7.2. Conditions for safe storage, including any incompatibilities

Store in sealed original container.

Keep container tightly sealed.

Store protected from heat influence.

Keep only in original container.

Keep away from strongly alkaline products.

7.3. Specific end use(s)

Etching Agents for Metals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Valid for Germany

Ingredient [Regulated substance]	ppm	mg/m ³	Value type	Short term exposure limit category / Remarks	Regulatory list
Nitric acid 7697-37-2 [NITRIC ACID]	1	2,6	Short Term Exposure Limit (STEL):	Indicative	ECTLV
Nitric acid 7697-37-2	1	2,6	Exposure limit(s):		TRGS 900
Hydrogen fluoride 7664-39-3 [HYDROGEN FLUORIDE]	1,8	1,5	Time Weighted Average (TWA):	Indicative	ECTLV
Hydrogen fluoride 7664-39-3 [HYDROGEN FLUORIDE]	3	2,5	Short Term Exposure Limit (STEL):	Indicative	ECTLV
Hydrogen fluoride 7664-39-3			Short Term Exposure Classification:	Category I: substances for which the localized effect has an assigned OEL or for substances with a sensitizing effect in respiratory passages.	TRGS 900
Hydrogen fluoride 7664-39-3			Skin designation:	Can be absorbed through the skin.	TRGS 900
Hydrogen fluoride 7664-39-3	1	0,83	Exposure limit(s):	If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7).	TRGS 900

Predicted No-Effect Concentration (PNEC):

Name on list	Environmental Compartment	Exposure period	Value			Remarks	
			mg/l	ppm	mg/kg	others	
diiron tris(sulphate) 10028-22-5	sewage treatment plant (STP)		500 mg/l				
diiron tris(sulphate) 10028-22-5	sediment (freshwater)				49,5 mg/kg		
diiron tris(sulphate) 10028-22-5	sediment (marine water)				49,5 mg/kg		
diiron tris(sulphate) 10028-22-5	Soil				55,5 mg/kg		
hydrogen fluoride 7664-39-3	aqua (freshwater)		0,9 mg/l				
hydrogen fluoride 7664-39-3	aqua (marine water)		0,9 mg/l				
hydrogen fluoride 7664-39-3	Soil				11 mg/kg		
hydrogen fluoride 7664-39-3	sewage treatment plant (STP)		51 mg/l				

Derived No-Effect Level (DNEL):

Name on list	Application Area	Route of Exposure	Health Effect	Exposure Time	Value	Remarks
diiron tris(sulphate) 10028-22-5	Workers	dermal	Long term exposure - systemic effects		2,8 mg/kg	
diiron tris(sulphate) 10028-22-5	General population	dermal	Long term exposure - systemic effects		1,4 mg/kg	
diiron tris(sulphate) 10028-22-5	General population	oral	Long term exposure - systemic effects		0,28 mg/kg	
diiron tris(sulphate) 10028-22-5	General population	oral	Acute/short term exposure - systemic effects		20 mg/kg	
nitric acid 7697-37-2	Workers	Inhalation	Acute/short term exposure - local effects		2,6 mg/m3	
nitric acid 7697-37-2	Workers	Inhalation	Long term exposure - local effects		1,3 mg/m3	
nitric acid 7697-37-2	General population	Inhalation	Acute/short term exposure - local effects		1,3 mg/m3	
nitric acid 7697-37-2	General population	Inhalation	Long term exposure - local effects		0,65 mg/m3	
hydrogen fluoride 7664-39-3	Workers	Inhalation	Acute/short term exposure - local effects		2,5 mg/m3	
hydrogen fluoride 7664-39-3	Workers	Inhalation	Acute/short term exposure - systemic effects		2,5 mg/m3	
hydrogen fluoride 7664-39-3	Workers	Inhalation	Long term exposure - local effects		1,5 μg/m³	
hydrogen fluoride 7664-39-3	Workers	Inhalation	Long term exposure - systemic effects		1,5 mg/m3	
hydrogen fluoride 7664-39-3	General population	Inhalation	Acute/short term exposure - systemic effects		0,03 mg/m3	
hydrogen fluoride 7664-39-3	General population	oral	Acute/short term exposure - systemic effects		0,01 mg/kg	
hydrogen fluoride 7664-39-3	General population	Inhalation	Acute/short term exposure - local effects		1,25 mg/m3	
hydrogen fluoride 7664-39-3	General population	Inhalation	Long term exposure - systemic effects		0,03 mg/m3	
hydrogen fluoride 7664-39-3	General population	oral	Long term exposure - systemic effects		0,01 mg/kg	
hydrogen fluoride 7664-39-3	General population	inhalation	Long term exposure - local effects		0,2 mg/m3	

Biological Exposure Indices:

Ingredient [Regulated substance]		Biological specimen	Sampling time		Basis of biol. exposure index	 Additional Information
Hydrogen fluoride	Fluoride	Urine	Sampling time: End of	4,0 mg/l	DE BGW	
7664-39-3			shift.			
[Hydrogen fluoride]						

8.2. Exposure controls:

Engineering controls:

Ensure good ventilation/suction at the workplace.

Respiratory protection:

In case of aerosol formation, we recommend wearing of appropriate respiratory protection equipment with ABEK P2 filter (EN 14387).

This recommendation should be matched to local conditions.

Hand protection:

Chemical-resistant protective gloves (EN 374). Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): Polychloroprene (CR; >= 1 mm thickness) or natural rubber (NR; >=1 mm thickness) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Polychloroprene (CR; >= 1 mm thickness) or natural rubber (NR; >=1 mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

For eye protection, use tightly fitted safety goggles and a face-shield

Protective eye equipment should conform to EN166.

Skin protection:

Protective clothing that covers arms and legs.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions. Personal protective equipment should conform to the relevant EN standard.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid Delivery form liquid

Colour yellowish, up to,

brownish

Odor Odorless

Melting point Not applicable, Product is a liquid

Solidification temperature < 0 °C (< 32 °F)

Initial boiling point 100 - 200 °C (212 - 392 °F)no method

Flammability Not applicable

Non flammable product (flash point is greater than 93°C)

Explosive limits Not applicable, The product is not flammable.

Flash point > 93 °C (> 199.4 °F)

Auto-ignition temperature Not applicable, The product is not flammable.

Decomposition temperature Not applicable, Substance/mixture is not self-reactive, no

organic peroxide and does not decompose under foreseen

conditions of use

pH 1,4 - 2,3 PH-value, potentiometer

(20 °C (68 °F); Conc.: 1 % product; Solvent:

Demineralised water)

Viscosity (kinematic) 1 - 10 mm2/s

(40 °C (104 °F);)

Solubility (qualitative) Miscible

(20 °C (68 °F); Solvent: Water)

Partition coefficient: n-octanol/water Not applicable

Mixture

Vapour pressure < 23 hPa

(20 °C (68 °F))

Density 1,320 - 1,340 g/cm3 density, hydrometer

(20 °C (68 °F))

Relative vapour density: > 1

(20 °C)

Particle characteristics Not applicable Product is a liquid

9.2. Other information

Other information not applicable for this product

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with alkalis: Heat generated. Can attack glass and vitreous materials.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

No decomposition if used according to specifications.

10.5. Incompatible materials

See section reactivity.

10.6. Hazardous decomposition products

None if used for intended purpose.

In case of fire toxic gases can be released.

SECTION 11: Toxicological information

General toxicological information:

The classification as corrosive H314 category 1 is due to the extreme pH.

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
diiron tris(sulphate) 10028-22-5	LD50	500 mg/kg	rat	OECD Guideline 423 (Acute Oral toxicity)

Acute dermal toxicity:

Can penetrate into deeper parts of the skin and cause severe burns which are very painful and cure very slowly.

Hazardous substances CAS-No.	Value type	Value	Species	Method
diiron tris(sulphate) 10028-22-5	LD50	> 2.000 mg/kg	rat	OECD Guideline 402 (Acute Dermal Toxicity)

Acute inhalative toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Test atmosphere	Exposure	Species	Method
CAS-No.	type			time		
Nitric acid	LC50	> 2,65 mg/l	vapour	4 h	rat	OECD Guideline 403 (Acute
7697-37-2						Inhalation Toxicity)
Nitric acid	Acute	2,651 mg/l	vapour	4 h		Expert judgement
7697-37-2	toxicity					
	estimate					
	(ATE)					

Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Result	Exposure	Species	Method
CAS-No.		time		
diiron tris(sulphate) 10028-22-5	Category 2 (irritant)	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Nitric acid 7697-37-2	corrosive			not specified
hydrofluoric acid 7664-39-3	corrosive	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
diiron tris(sulphate) 10028-22-5	Category 1 (irreversible effects on the eye)		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Nitric acid 7697-37-2	corrosive			not specified

Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Species	Method
diiron tris(sulphate) 10028-22-5	not sensitising	Mouse local lymphnode assay (LLNA)	mouse	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
diiron tris(sulphate) 10028-22-5	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
diiron tris(sulphate) 10028-22-5	negative	in vitro mammalian cell micronucleus test	with and without		OECD Guideline 487 (In vitro Mammalian Cell Micronucleus Test)
Nitric acid 7697-37-2	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Nitric acid 7697-37-2	negative	in vitro mammalian chromosome aberration test	with and without		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Nitric acid 7697-37-2	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
hydrofluoric acid 7664-39-3	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
diiron tris(sulphate) 10028-22-5	negative	intraperitoneal		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Carcinogenicity

No data available.

Reproductive toxicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Test type	Route of application	Species	Method
diiron tris(sulphate) 10028-22-5	NOAEL P >= 500 mg/kg NOAEL F1 >= 500 mg/kg		oral: gavage	rat	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Nitric acid 7697-37-2	NOAEL P >= 1.500 mg/kg	screening	oral: gavage	rat	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

STOT-single exposure:

No data available.

STOT-repeated exposure::

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Route of application	Exposure time / Frequency of treatment	Species	Method
diiron tris(sulphate) 10028-22-5	NOAEL 125 mg/kg	oral: gavage	once daily	rat	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
diiron tris(sulphate) 10028-22-5	NOAEL 250 mg/kg	oral: gavage	once daily	rat	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Nitric acid 7697-37-2	NOAEL 1.500 mg/kg	oral: gavage	28 d daily	rat	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
hydrofluoric acid 7664-39-3	NOAEL 0.88 ppm	inhalation: gas	91 d (65 exposures) 6 h/d, 5 days/week	rat	equivalent or similar to OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)

Aspiration hazard:

No data available.

11.2 Information on other hazards

not applicable

SECTION 12: Ecological information

General ecological information:

Do not empty into drains / surface water / ground water.

Locally harmful for aquatic and landliving organisms because of low pH and corrosive properties.

The product does not contain surface-active substances as defined in the EU Detergent Regulation (EC/648/2004).

Inorganic product: Decomposition not affected.

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
diiron tris(sulphate) 10028-22-5	LC50	2,9 mg/l	96 h	Oncorhynchus mykiss	not specified
Nitric acid 7697-37-2	LC50	12,5 mg/l	96 h	Salmo gairdneri (new name: Oncorhynchus mykiss)	OECD Guideline 203 (Fish, Acute Toxicity Test)
hydrofluoric acid 7664-39-3	LC50	107,5 mg/l	96 h	not specified	OECD Guideline 203 (Fish, Acute Toxicity Test)
hydrofluoric acid 7664-39-3	NOEC	4 mg/l	21 d	Oncorhynchus mykiss	other guideline:

Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Nitric acid	EC50	4,6 mg/l	48 h	Ceriodaphnia dubia	other guideline:
7697-37-2				_	
hydrofluoric acid	EC50	270 mg/l	48 h	Daphnia sp.	OECD Guideline 202
7664-39-3					(Daphnia sp. Acute
					Immobilisation Test)

Chronic toxicity to aquatic invertebrates

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

0.0.77	Value type	Value	Exposure time	Species	Method
hydrofluoric acid 7664-39-3	NOEC	3,7 mg/l	21 d	Daphnia magna	other guideline:

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
hydrofluoric acid	EC10	650 mg/l	72 h	Scenedesmus subspicatus (new	OECD Guideline 201 (Alga,
7664-39-3				name: Desmodesmus	Growth Inhibition Test)
				subspicatus)	
hydrofluoric acid	EC50	> 1.000 mg/l	72 h	Scenedesmus subspicatus (new	OECD Guideline 201 (Alga,
7664-39-3				name: Desmodesmus	Growth Inhibition Test)
				subspicatus)	

Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
diiron tris(sulphate) 10028-22-5	EC10	10.000 mg/l			not specified
Nitric acid 7697-37-2	EC50	> 1.000 mg/l	3 h	activated sludge	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
hydrofluoric acid 7664-39-3	EC10	231 mg/l	16 h	not specified	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm- Test)

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

Hazardous substances	PBT / vPvB
CAS-No.	
diiron tris(sulphate)	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
10028-22-5	Bioaccumulative (vPvB) criteria.
Nitric acid	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not
7697-37-2	be conducted for inorganic substances.
hydrofluoric acid	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not
7664-39-3	be conducted for inorganic substances.

12.6. Endocrine disrupting properties

not applicable

12.7. Other adverse effects

If acidic or alkaline products are discharged into wastewater installations care must be taken that the discharged wastewater has a pH in the range pH 6 - 10, as pH variations could cause disorders in wastewater channels and biological sewage treatment plants. The local discharge regulations take precedence.

waste water: harmful effect due to low pH-value and toxic fluoride component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

In consultation with the responsible local authority, must be subjected to special treatment.

Waste code

060199

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We will be happy to advise you.

SECTION 14: Transport information

14.1. UN number

ADR	2922
RID	2922
ADN	2922
IMDG	2922
IATA	2922

14.2. UN proper shipping name

ADR	CORROSIVE LIQUID, TOXIC, N.O.S. (Nitric acid, Hydrofluoric acid)
RID	CORROSIVE LIQUID, TOXIC, N.O.S. (Nitric acid, Hydrofluoric acid)
ADN	CORROSIVE LIQUID, TOXIC, N.O.S. (Nitric acid, Hydrofluoric acid)
IMDG	CORROSIVE LIQUID, TOXIC, N.O.S. (Nitric acid, Hydrofluoric acid)
IATA	Corrosive liquid, toxic, n.o.s. (Nitric acid, Hydrofluoric acid)

14.3. Transport hazard class(es)

8 (6.1)
8 (6.1)
8 (6.1)
8 (6.1)
8 (6.1)

14.4. Packing group

ADR	II
RID	II
ADN	II
IMDG	II
IATA	II

14.5. Environmental hazards

ADR	not applicable
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

14.6. Special precautions for user

ADR not applicable

Tunnelcode: (E)
RID not applicable
ADN not applicable

IMDG IMDG-Code: Segregation group 1- Acids

IATA not applicable

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ozone Depleting Substance (ODS) (Regulation (EC) No 1005/2009): Not applicable Prior Informed Consent (PIC) (Regulation (EU) No 649/2012): Not applicable Persistent organic pollutants (Regulation (EU) 2019/1021): Not applicable

VOC content 0 %

(2010/75/EU)

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. Please see https://ec.europa.eu/home-affairs/what-we-do/policies/counter-terrorism/protection/implementation-explosives-precursors-legislation_en.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

National regulations/information (Germany):

WGK: WGK 1: slightly hazardous to water (Ordinance on facilities for handling

substances that are hazardous to water (AwSV)) Classification according to AwSV, Annex 1 (5.2)

Storage class according to TRGS 510: 6.1B

General remarks (DE): This product is in scope of the German regulation

"ChemikalienVerbotsVerordnung"

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text

of all abbreviations indicated by codes in this safety data sheet are as follows:

H272 May intensify fire; oxidizer.

H290 May be corrosive to metals.

H300 Fatal if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

ED: Substance identified as having endocrine disrupting properties

EU OEL:

Substance with a Union workplace exposure limit

EU EXPLD 1:

Substance listed in Annex I, Reg (EC) No. 2019/1148

EU EXPLD 2

Substance listed in Annex II, Reg (EC) No. 2019/1148

SVHC:

Substance of very high concern (REACH Candidate List)

PBT:

Substance fulfilling persistent, bioaccumulative and toxic criteria

PBT/vPvB: Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very

bioaccumulative criteria

vPvB: Substance fulfilling very persistent and very bioaccumulative criteria

Further information:

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (ua-productsafety.de@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your_company.com).

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.